


































































Lighting Design By: Abbey Kojima
Master Electrician: Chris Simko



Directed By: Regan Moro
Scenic Design By: Eleanor Howell-Shryock
Presented By: Rude Mechanicals


















Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(1)	UPPER BALCONY C [T]	2	S4 Zm 25°-50° 575w	Front Warm	 R02	116	
(2)	UPPER BALCONY C [T]	6	S4 Zm 25°-50° 575w	Front Warm	 R02	120	
(3)	UPPER BALCONY C [T]	9	S4 Zm 25°-50° 575w	Front Warm	 R02	57	
(4)	CAT 3 DS (LOWER) [T]	3	Source 4 Zoom 15°- 30° 575w	Front Warm	 R02	250	
(5)	CAT 3 DS (LOWER) [T]	6	Source 4 Zoom 15°- 30° 575w	Front Warm	 R02	255	
(6)	CAT 3 DS (LOWER) [T]	9	Source 4 Zoom 15°- 30° 575w	Front Warm	 R02	179	
(7)	CAT 3 US (LOWER) [T]	3	Source 4 Zoom 15°- 30° 575w	Front Warm	 R02	247	
(8)	CAT 3 US (LOWER) [T]	6	Source 4 Zoom 15°- 30° 575w	Front Warm	 R02	243	
(9)	CAT 3 US (LOWER) [T]	9	Source 4 Zoom 15°- 30° 575w	Front Warm	 R02	246	
(10)	CAT 2 US (LOWER) [T]	1	Source 4 Zoom 15°- 30° 575w	Front Warm	 R02	219	
(11)	CAT 2 US (LOWER) [T]	4	Source 4 Zoom 15°- 30° 575w	Front Warm	 R02	234	
(12)	CAT 2 US (LOWER) [T]	8	Source 4 Zoom 15°- 30° 575w	Front Warm	 R02	230	
(13)	1 ELECTRIC [T]	4	S4 JR. ZOOM 575w	Front Warm	 R02	82	
(14)	1 ELECTRIC [T]	7	S4 JR. ZOOM 575w	Front Warm	 R02	85	
(15)	1 ELECTRIC [T]	9	S4 JR. ZOOM 575w	Front Warm	 R02	87	
(21)	UPPER BALCONY C [T]	3	S4 Zm 25°-50° 575w	Front Cool	 R61	117	















Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(22)	UPPER BALCONY C [T]	7	S4 Zm 25°-50° 575w	Front Cool	 R61	55	
(23)	UPPER BALCONY C [T]	10	S4 Zm 25°-50° 575w	Front Cool	 R61	58	
(24)	CAT 3 DS (LOWER) [T]	4	Source 4 Zoom 15°- 30° 575w	Front Cool	 R61	253	
(25)	CAT 3 DS (LOWER) [T]	7	Source 4 Zoom 15°- 30° 575w	Front Cool	 R61	256	
(26)	CAT 3 DS (LOWER) [T]	10	Source 4 Zoom 15°- 30° 575w	Front Cool	 R61	238	
(27)	CAT 3 US (LOWER) [T]	4	Source 4 Zoom 15°- 30° 575w	Front Cool	 R61	241	
(28)	CAT 3 US (LOWER) [T]	7	Source 4 Zoom 15°- 30° 575w	Front Cool	 R61	244	
(29)	CAT 3 US (LOWER) [T]	10	Source 4 Zoom 15°- 30° 575w	Front Cool	 R61	235	
(30)	CAT 2 US (LOWER) [T]	2	Source 4 Zoom 15°- 30° 575w	Front Cool	 R61	218	
(31)	CAT 2 US (LOWER) [T]	6	Source 4 Zoom 15°- 30° 575w	Front Cool	 R61	232	
(32)	CAT 2 US (LOWER) [T]	9	Source 4 Zoom 15°- 30° 575w	Front Cool	 R61	229	
(33)	1 ELECTRIC [T]	3	S4 JR. ZOOM 575w	Front Cool	 R61	81	
(34)	1 ELECTRIC [T]	6	S4 JR. ZOOM 575w	Front Cool	 R61	84	
(35)	1 ELECTRIC [T]	10	S4 JR. ZOOM 575w	Front Cool	 R61	88	
(41)	UPPER BALCONY C [T]	4	S4 Zm 25°-50° 575w	Specials	 R08	118	
(42)	UPPER BALCONY C [T]	8	S4 Zm 25°-50° 575w	Specials	 R08	56	
(43)	UPPER BALCONY C [T]	11	S4 Zm 25°-50° 575w	Specials	 R08	59	
(44)	CAT 3 DS (LOWER) [T]	5	Source 4 Zoom 15°- 30° 575w	Specials	 R08	254	


















Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(45)	CAT 3 DS (LOWER) [T]	8	Source 4 Zoom 15°- 30° 575w	Specials	 R08	180	
(46)	CAT 3 DS (LOWER) [T]	11	Source 4 Zoom 15°- 30° 575w	Specials	 R08	239	
(47)	CAT 3 US (LOWER) [T]	5	Source 4 Zoom 15°- 30° 575w	Specials	 R08	242	
(48)	CAT 3 US (LOWER) [T]	8	Source 4 Zoom 15°- 30° 575w	Specials	 R08	245	
(49)	CAT 3 US (LOWER) [T]	11	Source 4 Zoom 15°- 30° 575w	Specials	 R08	236	
(51)	TECH GALLERY SL [T]	5	Source 4 Zoom 15°- 30° 575w	HS SL Warm	 R04	183	
(52)	UPPER BALCONY SL [T]	5	S4 ZOOM (25-50) 575w	HS SL Warm	 R04	61	
(53)	CAT 2 DS (LOWER) [T]	2	Source 4 Zoom 15°- 30° 575w	HS SL Warm	 R04	224	
(54)	TECH GALLERY SL [T]	3	Source 4 Zoom 15°- 30° 575w	HS SL Warm	 R04	182	
(55)	UPPER BALCONY SL [T]	3	S4 ZOOM (25-50) 575w	HS SL Warm	 R04	63	
(56)	CAT 1 DS (LOWER) [T]	2	Source 4 Zoom 15°- 30° 575w	HS SL Warm	 R04	200	
(57)	TECH GALLERY SL [T]	1	Source 4 Zoom 15°- 30° 575w	HS SL Warm	 R04	186	
(58)	UPPER BALCONY SL [T]	1	S4 ZOOM (25-50) 575w	HS SL Warm	 R04	65	
(59)	CAT 1 US (LOWER) [T]	2	Source 4 Zoom 15°- 30° 575w	HS SL Warm	 R04	197	
(60)	2 ELECTRIC [T]	2	S4 36 575w	HS SL Warm	 R04	140	
(61)	2 ELECTRIC [T]	4	S4 26 575w	HS SL Warm	 R04	142	
(62)	2 ELECTRIC [T]	8	S4 ZOOM (25-50) 575w	HS SL Warm	 R04	98	

















Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(63)	3 ELECTRIC [T]	2	S4 36 575w	HS SL Warm	 R04	146	
(64)	3 ELECTRIC [T]	4	S4 26 575w	HS SL Warm	 R04	148	
(65)	3 ELECTRIC [T]	6	S4 ZOOM (25-50) 575w	HS SL Warm	 R04	150	
(66)	5 ELECTRIC [T]	2	S4 36 575w	HS SL Warm	 R04	122	
(67)	5 ELECTRIC [T]	4	S4 26 575w	HS SL Warm	 R04	124	
(68)	5 ELECTRIC [T]	6	S4 ZOOM (25-50) 575w	HS SL Warm	 R04	126	
(71)	TECH GALLERY SL [T]	6	Source 4 Zoom 15°- 30° 575w	HS SL Cool	 R63	184	
(72)	UPPER BALCONY SL [T]	6	S4 ZOOM (25-50) 575w	HS SL Cool	 R63	64	
(73)	CAT 2 DS (LOWER) [T]	1	Source 4 Zoom 15°- 30° 575w	HS SL Cool	 R63	223	
(74)	TECH GALLERY SL [T]	4	Source 4 Zoom 15°- 30° 575w	HS SL Cool	 R63	181	
(75)	UPPER BALCONY SL [T]	4	S4 ZOOM (25-50) 575w	HS SL Cool	 R63	62	
(76)	CAT 1 DS (LOWER) [T]	1	Source 4 Zoom 15°- 30° 575w	HS SL Cool	 R63	199	
(77)	TECH GALLERY SL [T]	2	Source 4 Zoom 15°- 30° 575w	HS SL Cool	 R63	185	
(78)	UPPER BALCONY SL [T]	2	S4 ZOOM (25-50) 575w	HS SL Cool	 R63	66	
(79)	CAT 1 US (LOWER) [T]	1	Source 4 Zoom 15°- 30° 575w	HS SL Cool	 R63	198	
(80)	2 ELECTRIC [T]	1	S4 36 575w	HS SL Cool	 R63	139	
(81)	2 ELECTRIC [T]	3	S4 26 575w	HS SL Cool	 R63	141	

Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(82)	2 ELECTRIC [T]	7	S4 ZOOM (25-50) 575w	HS SL Cool	 R63	97	
(83)	3 ELECTRIC [T]	1	S4 36 575w	HS SL Cool	 R63	145	
(84)	3 ELECTRIC [T]	3	S4 26 575w	HS SL Cool	 R63	147	
(85)	3 ELECTRIC [T]	5	S4 ZOOM (25-50) 575w	HS SL Cool	 R63	149	
(86)	5 ELECTRIC [T]	1	S4 36 575w	HS SL Cool	 R63	121	
(87)	5 ELECTRIC [T]	3	S4 26 575w	HS SL Cool	 R63	123	
(88)	5 ELECTRIC [T]	5	S4 ZOOM (25-50) 575w	HS SL Cool	 R63	125	
(91)	CAT 2 DS (LOWER) [T]	16	Source 4 Zoom 15°- 30° 575w	HS SR Warm	 R16	176	
(92)	UPPER BALCONY SR [T]	6	S4 ZOOM (25-50) 575w	HS SR Warm	 R16	51	
(93)	TECH GALLERY SR [T]	6	Source 4 Zoom 15°- 30° 575w	HS SR Warm	 R16	172	
(94)	CAT 1 DS (LOWER) [T]	16	Source 4 Zoom 15°- 30° 575w	HS SR Warm	 R16	210	
(95)	UPPER BALCONY SR [T]	4	S4 ZOOM (25-50) 575w	HS SR Warm	 R16	49	
(96)	TECH GALLERY SR [T]	4	Source 4 Zoom 15°- 30° 575w	HS SR Warm	 R16	169	
(97)	CAT 1 US (LOWER) [T]	13	Source 4 Zoom 15°- 30° 575w	HS SR Warm	 R16	163	
(98)	UPPER BALCONY SR [T]	2	S4 ZOOM (25-50) 575w	HS SR Warm	 R16	54	
(99)	TECH GALLERY SR [T]	2	Source 4 Zoom 15°- 30° 575w	HS SR Warm	 R16	173	
(100)	2 ELECTRIC [T]	12	S4 ZOOM (25-50) 575w	HS SR Warm	 R16	102	







Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(101)	2 ELECTRIC [T]	16	S4 26 575w	HS SR Warm	 R16	70	
(102)	2 ELECTRIC [T]	18	S4 36 575w	HS SR Warm	 R16	72	
(103)	3 ELECTRIC [T]	8	S4 ZOOM (25-50) 575w	HS SR Warm	 R16	104	
(104)	3 ELECTRIC [T]	10	S4 26 575w	HS SR Warm	 R16	106	
(105)	3 ELECTRIC [T]	12	S4 36 575w	HS SR Warm	 R16	108	
(106)	5 ELECTRIC [T]	8	S4 ZOOM (25-50) 575w	HS SR Warm	 R16	128	
(107)	5 ELECTRIC [T]	10	S4 26 575w	HS SR Warm	 R16	130	
(108)	5 ELECTRIC [T]	12	S4 36 575w	HS SR Warm	 R16	132	
(111)	CAT 2 DS (LOWER) [T]	15	Source 4 Zoom 15°- 30° 575w	HS SR Cool	 R64	216	
(112)	UPPER BALCONY SR [T]	5	S4 ZOOM (25-50) 575w	HS SR Cool	 R64	50	
(113)	TECH GALLERY SR [T]	5	Source 4 Zoom 15°- 30° 575w	HS SR Cool	 R64	171	
(114)	CAT 1 DS (LOWER) [T]	15	Source 4 Zoom 15°- 30° 575w	HS SR Cool	 R64	209	
(115)	UPPER BALCONY SR [T]	3	S4 ZOOM (25-50) 575w	HS SR Cool	 R64	52	
(116)	TECH GALLERY SR [T]	3	Source 4 Zoom 15°- 30° 575w	HS SR Cool	 R64	170	
(117)	CAT 1 US (LOWER) [T]	12	Source 4 Zoom 15°- 30° 575w	HS SR Cool	 R64	164	
(118)	UPPER BALCONY SR [T]	1	S4 ZOOM (25-50) 575w	HS SR Cool	 R64	53	
(119)	TECH GALLERY SR [T]	1	Source 4 Zoom 15°- 30° 575w	HS SR Cool	 R64	174	

Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(120)	2 ELECTRIC [T]	11	S4 ZOOM (25-50) 575w	HS SR Cool	 R64	101	
(121)	2 ELECTRIC [T]	15	S4 26 575w	HS SR Cool	 R64	69	
(122)	2 ELECTRIC [T]	17	S4 36 575w	HS SR Cool	 R64	71	
(123)	3 ELECTRIC [T]	7	S4 ZOOM (25-50) 575w	HS SR Cool	 R64	103	
(124)	3 ELECTRIC [T]	9	S4 26 575w	HS SR Cool	 R64	105	
(125)	3 ELECTRIC [T]	11	S4 36 575w	HS SR Cool	 R64	107	
(126)	5 ELECTRIC [T]	7	S4 ZOOM (25-50) 575w	HS SR Cool	 R64	127	
(127)	5 ELECTRIC [T]	9	S4 26 575w	HS SR Cool	 R64	129	
(128)	5 ELECTRIC [T]	11	S4 36 575w	HS SR Cool	 R64	131	
(131)	CAT 2 DS (LOWER) [T]	4	S4 PARnel	Top Warm	 L108	226	
(132)	CAT 2 DS (LOWER) [T]	8	S4 PARnel	Top Warm	 L108	221	
(133)	CAT 2 DS (LOWER) [T]	13	S4 PARnel	Top Warm	 L108	214	
(134)	CAT 1 DS (LOWER) [T]	4	S4 PARnel	Top Warm	 L108	202	
(135)	CAT 1 DS (LOWER) [T]	8	S4 PARnel	Top Warm	 L108	135	
(136)	CAT 1 DS (LOWER) [T]	13	S4 PARnel	Top Warm	 L108	207	
(137)	CAT 1 US (LOWER) [T]	3	S4 PARnel	Top Warm	 L108	196	
(138)	CAT 1 US (LOWER) [T]	6	S4 PARnel	Top Warm	 L108	193	








Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(139)	CAT 1 US (LOWER) [T]	11	S4 PARnel	Top Warm	 L108	165	
(140)	2 ELECTRIC [T]	5	S4 PARnel	Top Warm	 L108	143	
(141)	2 ELECTRIC [T]	9	S4 PARnel	Top Warm	 L108	99	
(142)	2 ELECTRIC [T]	14	S4 PARnel	Top Warm	 L108	68	
(143)	4 ELECTRIC [T]	1	S4 PARnel	Top Warm	 L108	91	
(144)	4 ELECTRIC [T]	3	S4 PARnel	Top Warm	 L108	93	
(145)	4 ELECTRIC [T]	6	S4 PARnel	Top Warm	 L108	96	
(146)	6 ELECTRIC [T]	1	S4 JR. ZOOM 575w	Top/Back Warm	 L108	151	
(147)	6 ELECTRIC [T]	3	S4 JR. ZOOM 575w	Top/Back Warm	 L108	153	
(148)	6 ELECTRIC [T]	6	S4 JR. ZOOM 575w	Top/Back Warm	 L108	156	
(151)	CAT 2 DS (LOWER) [T]	5	S4 PARnel	Top Cool	 R80	227	
(152)	CAT 2 DS (LOWER) [T]	9	S4 PARnel	Top Cool	 R80	222	
(153)	CAT 2 DS (LOWER) [T]	12	S4 PARnel	Top Cool	 R80	213	
(154)	CAT 1 DS (LOWER) [T]	5	S4 PARnel	Top Cool	 R80	203	
(155)	CAT 1 DS (LOWER) [T]	9	S4 PARnel	Top Cool	 R80	136	
(156)	CAT 1 DS (LOWER) [T]	12	S4 PARnel	Top Cool	 R80	206	
(157)	CAT 1 US (LOWER) [T]	4	S4 PARnel	Top Cool	 R80	195	
(158)	CAT 1 US (LOWER) [T]	8	S4 PARnel	Top Cool	 R80	168	
(159)	CAT 1 US (LOWER) [T]	10	S4 PARnel	Top Cool	 R80	166	






Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(160)	2 ELECTRIC [T]	6	S4 PARnel	Top Cool	 R80	144	
(161)	2 ELECTRIC [T]	10	S4 PARnel	Top Cool	 R80	100	
(162)	2 ELECTRIC [T]	13	S4 PARnel	Top Cool	 R80	67	
(163)	4 ELECTRIC [T]	2	S4 PARnel	Top Cool	 R80	92	
(164)	4 ELECTRIC [T]	4	S4 PARnel	Top Cool	 R80	94	
(165)	4 ELECTRIC [T]	5	S4 PARnel	Top Cool	 R80	95	
(166)	6 ELECTRIC [T]	2	S4 JR. ZOOM 575w	Top/Back Cool	 R80	152	
(167)	6 ELECTRIC [T]	4	S4 JR. ZOOM 575w	Top/Back Cool	 R80	154	
(168)	6 ELECTRIC [T]	5	S4 JR. ZOOM 575w	Top/Back Cool	 R80	155	
(171)	LOWER BALCONY SL [T]	6	S4 JR. ZOOM 575w	SR Side Cool	 R367, T: R77806	43	
(172)	LOWER BALCONY SL [T]	4	S4 JR. ZOOM 575w	SR Side Cool	 R367, T: R77806	47	
(173)	LOWER BALCONY SL [T]	2	S4 JR. ZOOM 575w	SR Side Cool	 R367, T: R77806	46	
(174)	LOWER BALCONY SR [T]	6	S4 JR. ZOOM 575w	SL Side Warm	 R17, T: R77806	36	
(175)	LOWER BALCONY SR [T]	4	S4 JR. ZOOM 575w	SL Side Warm	 R17, T: R77806	34	
(176)	LOWER BALCONY SR [T]	2	S4 JR. ZOOM 575w	SL Side Warm	 R17, T: R77806	32	
(181)	LOWER BALCONY SL [T]	5	S4 JR. ZOOM 575w	SR Side Warm	 R14, T: R77806	44	

Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(182)	LOWER BALCONY SL [T]	3	S4 JR. ZOOM 575w	SR Side Warm	● R14, T: R77806	48	
(183)	LOWER BALCONY SL [T]	1	S4 JR. ZOOM 575w	SR Side Warm	● R14, T: R77806	45	
(184)	LOWER BALCONY SR [T]	5	S4 JR. ZOOM 575w	SL Side Cool	● R362, T: R77806	35	
(185)	LOWER BALCONY SR [T]	3	S4 JR. ZOOM 575w	SL Side Cool	● R362, T: R77806	33	
(186)	LOWER BALCONY SR [T]	1	S4 JR. ZOOM 575w	SL Side Cool	● R362, T: R77806	31	
(187)	LOWER BALCONY C [T]	1	S4 Jr Zoom 575w		● R02	40	
	"	7	"		"	"	
(188)	LOWER BALCONY C [T]	2	S4 Jr Zoom 575w		● R02	41	
	"	8	"		"	"	
(189)	LOWER BALCONY C [T]	3	S4 Jr Zoom 575w		● R02	42	
	"	9	"		"	"	
(191)	TECH GALLERY SL [T]	7	S4 ZOOM (25-50) 575w	Texture Wash	● R69, T: R77806	187	
(192)	TECH GALLERY SL [T]	8	S4 ZOOM (25-50) 575w	Texture Wash	● R58, T: R77806	188	
(193)	TECH GALLERY SR [T]	7	S4 ZOOM (25-50) 575w	Texture Wash	● R69, T: R77806	178	
(194)	TECH GALLERY SR [T]	8	S4 ZOOM (25-50) 575w	Texture Wash	● R58, T: R77806	177	

Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(201)	CAT 1 DS (LOWER) [T]	6	S4 19 575w	Vom Frt	 R02	204	
(202)	CAT 1 DS (LOWER) [T]	7	S4 19 575w	Vom Frt	 R61	134	
(203)	CAT 1 DS (LOWER) [T]	10	S4 19 575w	Vom Frt	 R02	137	
(204)	CAT 1 DS (LOWER) [T]	11	S4 19 575w	Vom Frt	 R61	205	
(205)	UPPER BALCONY SL [T]	7	S4 JR. ZOOM 575w	Vom Backlight	 R02	189	
(206)	UPPER BALCONY SL [T]	8	S4 JR. ZOOM 575w	Vom Backlight	 R61	190	
(207)	UPPER BALCONY SR [T]	7	S4 JR. ZOOM 575w	Vom Backlight	 R02	157	
(208)	UPPER BALCONY SR [T]	8	S4 JR. ZOOM 575w	Vom Backlight	 R61	175	
(211)	UPPER BALCONY C [T]	1	S4 Zm 25°-50° 575w	TBD		115	
(212)	UPPER BALCONY C [T]	5	S4 Zm 25°-50° 575w	TBD		119	
(213)	UPPER BALCONY C [T]	12	S4 Zm 25°-50° 575w	TBD		60	
(214)	CAT 3 DS (LOWER) [T]	1	Source 4 Zoom 15°- 30° 575w	TBD		252	
(215)	CAT 3 DS (LOWER) [T]	2	Source 4 Zoom 15°- 30° 575w	TBD		251	
(216)	CAT 3 DS (LOWER) [T]	12	Source 4 Zoom 15°- 30° 575w	TBD		240	
(217)	CAT 3 US (LOWER) [T]	1	Source 4 Zoom 15°- 30° 575w	TBD		249	
(218)	CAT 3 US (LOWER) [T]	2	Source 4 Zoom 15°- 30° 575w	TBD		248	
(219)	CAT 3 US (LOWER) [T]	12	Source 4 Zoom 15°- 30° 575w	TBD		237	

Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(220)	CAT 2 US (LOWER) [T]	3	S4 ZOOM (25-50) 575w	TBD		217	
(221)	CAT 2 US (LOWER) [T]	5	S4 19 575w	TBD		233	
(222)	CAT 2 US (LOWER) [T]	7	S4 ZOOM (25-50) 575w	TBD		231	
(223)	CAT 1 US (LOWER) [T]	5	Source 4 Zoom 15°- 30° 575w	TBD		194	
(224)	CAT 1 US (LOWER) [T]	7	S4 19 575w	TBD		138	
(225)	CAT 1 US (LOWER) [T]	9	Source 4 Zoom 15°- 30° 575w	TBD		167	
(231)	CAT 2 DS (LOWER) [T]	3	S4 19 575w	TBD		225	
(232)	CAT 2 DS (LOWER) [T]	6	S4 19 575w	TBD		228	
(233)	CAT 2 DS (LOWER) [T]	7	S4 19 575w	TBD		220	
(234)	CAT 2 DS (LOWER) [T]	10	S4 19 575w	TBD		211	
(235)	CAT 2 DS (LOWER) [T]	11	S4 19 575w	TBD		212	
(236)	CAT 2 DS (LOWER) [T]	14	S4 19 575w	TBD		215	
(237)	CAT 1 DS (LOWER) [T]	3	S4 19 575w	TBD		201	
(238)	CAT 1 DS (LOWER) [T]	14	S4 19 575w	TBD		208	
(239)	1 ELECTRIC [T]	1	S4 JR. ZOOM 575w	TBD		79	
(240)	1 ELECTRIC [T]	2	S4 JR. ZOOM 575w	TBD		80	
(241)	1 ELECTRIC [T]	5	S4 JR. ZOOM 575w	TBD		83	
(242)	1 ELECTRIC [T]	8	S4 JR. ZOOM 575w	TBD		86	
(243)	1 ELECTRIC [T]	11	S4 JR. ZOOM 575w	TBD		89	

Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(244)	1 ELECTRIC [T]	12	S4 JR. ZOOM 575w	TBD		90	
(251)	LOWER BALCONY C [T]	4	S4 Jr Zoom 575w	TBD		37	
(252)	LOWER BALCONY C [T]	5	S4 Jr Zoom 575w	TBD		38	
(253)	LOWER BALCONY C [T]	6	S4 Jr Zoom 575w	TBD		39	
(301)	GROUND ROW [T]	1	R40 4 Cir 8' Strip 1.2kW	CYC	 R67	20	
	"	5	"	"	"	"	
(302)	GROUND ROW [T]	9	R40 4 Cir 8' Strip 1.2kW	CYC	 R67	19	
	"	13	"	"	"	"	
(303)	GROUND ROW [T]	2	R40 4 Cir 8' Strip 1.2kW	CYC	 R318	259	
	"	6	"	"	"	"	
	"	10	"	"	"	"	
	"	14	"	"	"	"	
(304)	GROUND ROW [T]	3	R40 4 Cir 8' Strip 1.2kW	CYC	 R21	258	
	"	7	"	"	"	"	
	"	11	"	"	"	"	
	"	15	"	"	"	"	
(305)	GROUND ROW [T]	4	R40 4 Cir 8' Strip 1.2kW	CYC	 R65	257	
	"	8	"	"	"	"	
	"	12	"	"	"	"	
	"	16	"	"	"	"	
(311)	7 ELECTRIC [T]	1	R40 4 Cir 8' Strip 1.2kW	CYC	 R68	191	
	"	5	"	"	"	"	
(312)	7 ELECTRIC [T]	9	R40 4 Cir 8' Strip 1.2kW	CYC	 R68	192	
	"	13	"	"	"	"	

Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(313)	7 ELECTRIC [T]	2	R40 4 Cir 8' Strip 1.2kW	CYC	 R321	260	
	"	12	"	"	 R67	"	
	"	16	"	"	"	"	
(314)	7 ELECTRIC [T]	3	R40 4 Cir 8' Strip 1.2kW	CYC	 R22	261	
	"	7	"	"	"	"	
	"	11	"	"	"	"	
	"	15	"	"	"	"	
(315)	7 ELECTRIC [T]	6	R40 4 Cir 8' Strip 1.2kW	CYC	 R321	262	
	"	10	"	"	"	"	
	"	14	"	"	"	"	
(316)	7 ELECTRIC [T]	4	R40 4 Cir 8' Strip 1.2kW	CYC	 R67	264	
	"	8	"	"	"	"	
(401)	1-2 SL	1	VL1000 TS 1kW	Cool Stuff		109	
(402)	1-2 CS	2	VL1000 TS 1kW	Cool Stuff		110	
(403)	1-2 SR	3	VL1000 TS 1kW	Cool Stuff		111	
(404)	2-3 SL	4	VL1000 TS 1kW	Cool Stuff		112	
(405)	2-3 CS	5	VL1000 TS 1kW	Cool Stuff		113	
(406)	2-3 SR	6	VL1000 TS 1kW	Cool Stuff		114	

Channel	Position	U#	Type & Acc & W	Purpose	Clr & Gbo	Dim	Adr
(500)	House			House		278	
	"			"		277	
	"			"		276	
	"			"		275	
	"			"		274	
	"			"		273	
	"			"		272	
	"			"		271	
	"			"		270	
	"			"		269	
	"			"		268	
	"			"		267	
	"			"		266	
	"			"		265	
	"			"		264	
(501)	Tube Lights			House		281	
	"			"		280	










TABLE OF CONTENTS

CAT 3 DS (LOWER) [T]	1	2 ELECTRIC [T]	10
CAT 3 US (LOWER) [T]	2	3 ELECTRIC [T]	11
CAT 2 DS (LOWER) [T]	3	4 ELECTRIC [T]	11
CAT 2 US (LOWER) [T]	3	5 ELECTRIC [T]	12
CAT 1 DS (LOWER) [T]	4	6 ELECTRIC [T]	12
CAT 1 US (LOWER) [T]	5	7 ELECTRIC [T]	13
TECH GALLERY SL [T]	5	GROUND ROW [T]	14
TECH GALLERY SR [T]	6	2-3 SL	14
UPPER BALCONY SL [T]	6	2-3 CS	14
UPPER BALCONY C [T]	7	2-3 SR	14
UPPER BALCONY SR [T]	7	1-2 SL	15
LOWER BALCONY SL [T]	8	1-2 CS	15
LOWER BALCONY C [T]	8	1-2 SR	15
LOWER BALCONY SR [T]	9	House	15
1 ELECTRIC [T]	9	Tube Lights	16



Lighting Design By: Abbey Kojima
 Master Electrician: Chris Simko

Directed By: Regan Moro
 Scenic Design By: Eleanor Howell-Shryock
 Presented By: Rude Mechanicals

CAT 3 DS (LOWER) [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	TBD	Source 4 Zoom 15°-30°	575w		(214)		252
2	TBD	Source 4 Zoom 15°-30°	575w		(215)		251
3	Front Warm	Source 4 Zoom 15°-30°	575w	 R02	(4)		250
4	Front Cool	Source 4 Zoom 15°-30°	575w	 R61	(24)		253
5	Specials	Source 4 Zoom 15°-30°	575w	 R08	(44)		254
6	Front Warm	Source 4 Zoom 15°-30°	575w	 R02	(5)		255
7	Front Cool	Source 4 Zoom 15°-30°	575w	 R61	(25)		256
8	Specials	Source 4 Zoom 15°-30°	575w	 R08	(45)		180
9	Front Warm	Source 4 Zoom 15°-30°	575w	 R02	(6)		179
10	Front Cool	Source 4 Zoom 15°-30°	575w	 R61	(26)		238
11	Specials	Source 4 Zoom 15°-30°	575w	 R08	(46)		239
12	TBD	Source 4 Zoom 15°-30°	575w		(216)		240







CAT 3 US (LOWER) [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	TBD	Source 4 Zoom 15°-30°	575w		(217)		249
2	TBD	Source 4 Zoom 15°-30°	575w		(218)		248
3	Front Warm	Source 4 Zoom 15°-30°	575w	 R02	(7)		247
4	Front Cool	Source 4 Zoom 15°-30°	575w	 R61	(27)		241
5	Specials	Source 4 Zoom 15°-30°	575w	 R08	(47)		242
6	Front Warm	Source 4 Zoom 15°-30°	575w	 R02	(8)		243
7	Front Cool	Source 4 Zoom 15°-30°	575w	 R61	(28)		244
8	Specials	Source 4 Zoom 15°-30°	575w	 R08	(48)		245
9	Front Warm	Source 4 Zoom 15°-30°	575w	 R02	(9)		246
10	Front Cool	Source 4 Zoom 15°-30°	575w	 R61	(29)		235
11	Specials	Source 4 Zoom 15°-30°	575w	 R08	(49)		236
12	TBD	Source 4 Zoom 15°-30°	575w		(219)		237


CAT 2 DS (LOWER) [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	HS SL Cool	Source 4 Zoom 15°-30°	575w	 R63	(73)		223
2	HS SL Warm	Source 4 Zoom 15°-30°	575w	 R04	(53)		224
3	TBD	S4 19	575w		(231)		225
4	Top Warm	S4 PARnel		 L108	(131)		226
5	Top Cool	S4 PARnel		 R80	(151)		227
6	TBD	S4 19	575w		(232)		228
7	TBD	S4 19	575w		(233)		220
8	Top Warm	S4 PARnel		 L108	(132)		221
9	Top Cool	S4 PARnel		 R80	(152)		222
10	TBD	S4 19	575w		(234)		211
11	TBD	S4 19	575w		(235)		212
12	Top Cool	S4 PARnel		 R80	(153)		213
13	Top Warm	S4 PARnel		 L108	(133)		214
14	TBD	S4 19	575w		(236)		215
15	HS SR Cool	Source 4 Zoom 15°-30°	575w	 R64	(111)		216
16	HS SR Warm	Source 4 Zoom 15°-30°	575w	 R16	(91)		176

CAT 2 US (LOWER) [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	Front Warm	Source 4 Zoom 15°-30°	575w	 R02	(10)		219
2	Front Cool	Source 4 Zoom 15°-30°	575w	 R61	(30)		218
3	TBD	S4 ZOOM (25-50)	575w		(220)		217
4	Front Warm	Source 4 Zoom 15°-30°	575w	 R02	(11)		234
5	TBD	S4 19	575w		(221)		233
6	Front Cool	Source 4 Zoom 15°-30°	575w	 R61	(31)		232
7	TBD	S4 ZOOM (25-50)	575w		(222)		231
8	Front Warm	Source 4 Zoom 15°-30°	575w	 R02	(12)		230
9	Front Cool	Source 4 Zoom 15°-30°	575w	 R61	(32)		229









CAT 1 DS (LOWER) [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	HS SL Cool	Source 4 Zoom 15°-30°	575w	 R63	(76)		199
2	HS SL Warm	Source 4 Zoom 15°-30°	575w	 R04	(56)		200
3	TBD	S4 19	575w		(237)		201
4	Top Warm	S4 PARnel		 L108	(134)		202
5	Top Cool	S4 PARnel		 R80	(154)		203
6	Vom Frt	S4 19	575w	 R02	(201)		204
7	Vom Frt	S4 19	575w	 R61	(202)		134
8	Top Warm	S4 PARnel		 L108	(135)		135
9	Top Cool	S4 PARnel		 R80	(155)		136
10	Vom Frt	S4 19	575w	 R02	(203)		137
11	Vom Frt	S4 19	575w	 R61	(204)		205
12	Top Cool	S4 PARnel		 R80	(156)		206
13	Top Warm	S4 PARnel		 L108	(136)		207
14	TBD	S4 19	575w		(238)		208
15	HS SR Cool	Source 4 Zoom 15°-30°	575w	 R64	(114)		209
16	HS SR Warm	Source 4 Zoom 15°-30°	575w	 R16	(94)		210









CAT 1 US (LOWER) [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	HS SL Cool	Source 4 Zoom 15°-30°	575w	 R63	(79)		198
2	HS SL Warm	Source 4 Zoom 15°-30°	575w	 R04	(59)		197
3	Top Warm	S4 PARnel		 L108	(137)		196
4	Top Cool	S4 PARnel		 R80	(157)		195
5	TBD	Source 4 Zoom 15°-30°	575w		(223)		194
6	Top Warm	S4 PARnel		 L108	(138)		193
7	TBD	S4 19	575w		(224)		138
8	Top Cool	S4 PARnel		 R80	(158)		168
9	TBD	Source 4 Zoom 15°-30°	575w		(225)		167
10	Top Cool	S4 PARnel		 R80	(159)		166
11	Top Warm	S4 PARnel		 L108	(139)		165
12	HS SR Cool	Source 4 Zoom 15°-30°	575w	 R64	(117)		164
13	HS SR Warm	Source 4 Zoom 15°-30°	575w	 R16	(97)		163









TECH GALLERY SL [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	HS SL Warm	Source 4 Zoom 15°-30°	575w	 R04	(57)		186
2	HS SL Cool	Source 4 Zoom 15°-30°	575w	 R63	(77)		185
3	HS SL Warm	Source 4 Zoom 15°-30°	575w	 R04	(54)		182
4	HS SL Cool	Source 4 Zoom 15°-30°	575w	 R63	(74)		181
5	HS SL Warm	Source 4 Zoom 15°-30°	575w	 R04	(51)		183
6	HS SL Cool	Source 4 Zoom 15°-30°	575w	 R63	(71)		184
7	Texture Wash	S4 ZOOM (25-50)	575w	 R69, T: R77806	(191)		187
8	Texture Wash	S4 ZOOM (25-50)	575w	 R58, T: R77806	(192)		188

TECH GALLERY SR [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	HS SR Cool	Source 4 Zoom 15°-30°	575w	 R64	(119)		174
2	HS SR Warm	Source 4 Zoom 15°-30°	575w	 R16	(99)		173
3	HS SR Cool	Source 4 Zoom 15°-30°	575w	 R64	(116)		170
4	HS SR Warm	Source 4 Zoom 15°-30°	575w	 R16	(96)		169
5	HS SR Cool	Source 4 Zoom 15°-30°	575w	 R64	(113)		171
6	HS SR Warm	Source 4 Zoom 15°-30°	575w	 R16	(93)		172
7	Texture Wash	S4 ZOOM (25-50)	575w	 R69, T: R77806	(193)		178
8	Texture Wash	S4 ZOOM (25-50)	575w	 R58, T: R77806	(194)		177









UPPER BALCONY SL [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	HS SL Warm	S4 ZOOM (25-50)	575w	 R04	(58)		65
2	HS SL Cool	S4 ZOOM (25-50)	575w	 R63	(78)		66
3	HS SL Warm	S4 ZOOM (25-50)	575w	 R04	(55)		63
4	HS SL Cool	S4 ZOOM (25-50)	575w	 R63	(75)		62
5	HS SL Warm	S4 ZOOM (25-50)	575w	 R04	(52)		61
6	HS SL Cool	S4 ZOOM (25-50)	575w	 R63	(72)		64
7	Vom Backlight	S4 JR. ZOOM	575w	 R02	(205)		189
8	Vom Backlight	S4 JR. ZOOM	575w	 R61	(206)		190

UPPER BALCONY C [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	TBD	S4 Zm 25°-50°	575w		(211)		115
2	Front Warm	S4 Zm 25°-50°	575w	 R02	(1)		116
3	Front Cool	S4 Zm 25°-50°	575w	 R61	(21)		117
4	Specials	S4 Zm 25°-50°	575w	 R08	(41)		118
5	TBD	S4 Zm 25°-50°	575w		(212)		119
6	Front Warm	S4 Zm 25°-50°	575w	 R02	(2)		120
7	Front Cool	S4 Zm 25°-50°	575w	 R61	(22)		55
8	Specials	S4 Zm 25°-50°	575w	 R08	(42)		56
9	Front Warm	S4 Zm 25°-50°	575w	 R02	(3)		57
10	Front Cool	S4 Zm 25°-50°	575w	 R61	(23)		58
11	Specials	S4 Zm 25°-50°	575w	 R08	(43)		59
12	TBD	S4 Zm 25°-50°	575w		(213)		60

UPPER BALCONY SR [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	HS SR Cool	S4 ZOOM (25-50)	575w	 R64	(118)		53
2	HS SR Warm	S4 ZOOM (25-50)	575w	 R16	(98)		54
3	HS SR Cool	S4 ZOOM (25-50)	575w	 R64	(115)		52
4	HS SR Warm	S4 ZOOM (25-50)	575w	 R16	(95)		49
5	HS SR Cool	S4 ZOOM (25-50)	575w	 R64	(112)		50
6	HS SR Warm	S4 ZOOM (25-50)	575w	 R16	(92)		51
7	Vom Backlight	S4 JR. ZOOM	575w	 R02	(207)		157
8	Vom Backlight	S4 JR. ZOOM	575w	 R61	(208)		175







LOWER BALCONY SL [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	SR Side Warm	S4 JR. ZOOM	575w	● R14, T: R77806	(183)		45
2	SR Side Cool	S4 JR. ZOOM	575w	● R367, T: R77806	(173)		46
3	SR Side Warm	S4 JR. ZOOM	575w	● R14, T: R77806	(182)		48
4	SR Side Cool	S4 JR. ZOOM	575w	● R367, T: R77806	(172)		47
5	SR Side Warm	S4 JR. ZOOM	575w	● R14, T: R77806	(181)		44
6	SR Side Cool	S4 JR. ZOOM	575w	● R367, T: R77806	(171)		43

LOWER BALCONY C [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1		S4 Jr Zoom	575w	● R02	(187)		40
2		S4 Jr Zoom	575w	● R02	(188)		41
3		S4 Jr Zoom	575w	● R02	(189)		42
4	TBD	S4 Jr Zoom	575w		(251)		37
5	TBD	S4 Jr Zoom	575w		(252)		38
6	TBD	S4 Jr Zoom	575w		(253)		39
7		S4 Jr Zoom	575w	● R02	(187)		40
8		S4 Jr Zoom	575w	● R02	(188)		41
9		S4 Jr Zoom	575w	● R02	(189)		42



















LOWER BALCONY SR [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	SL Side Cool	S4 JR. ZOOM	575w	 R362, T: R77806	(186)		31
2	SL Side Warm	S4 JR. ZOOM	575w	 R17, T: R77806	(176)		32
3	SL Side Cool	S4 JR. ZOOM	575w	 R362, T: R77806	(185)		33
4	SL Side Warm	S4 JR. ZOOM	575w	 R17, T: R77806	(175)		34
5	SL Side Cool	S4 JR. ZOOM	575w	 R362, T: R77806	(184)		35
6	SL Side Warm	S4 JR. ZOOM	575w	 R17, T: R77806	(174)		36




1 ELECTRIC [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	TBD	S4 JR. ZOOM	575w		(239)		79
2	TBD	S4 JR. ZOOM	575w		(240)		80
3	Front Cool	S4 JR. ZOOM	575w	 R61	(33)		81
4	Front Warm	S4 JR. ZOOM	575w	 R02	(13)		82
5	TBD	S4 JR. ZOOM	575w		(241)		83
6	Front Cool	S4 JR. ZOOM	575w	 R61	(34)		84
7	Front Warm	S4 JR. ZOOM	575w	 R02	(14)		85
8	TBD	S4 JR. ZOOM	575w		(242)		86
9	Front Warm	S4 JR. ZOOM	575w	 R02	(15)		87
10	Front Cool	S4 JR. ZOOM	575w	 R61	(35)		88
11	TBD	S4 JR. ZOOM	575w		(243)		89
12	TBD	S4 JR. ZOOM	575w		(244)		90







2 ELECTRIC [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	HS SL Cool	S4 36	575w	 R63	(80)		139
2	HS SL Warm	S4 36	575w	 R04	(60)		140
3	HS SL Cool	S4 26	575w	 R63	(81)		141
4	HS SL Warm	S4 26	575w	 R04	(61)		142
5	Top Warm	S4 PARnel		 L108	(140)		143
6	Top Cool	S4 PARnel		 R80	(160)		144
7	HS SL Cool	S4 ZOOM (25-50)	575w	 R63	(82)		97
8	HS SL Warm	S4 ZOOM (25-50)	575w	 R04	(62)		98
9	Top Warm	S4 PARnel		 L108	(141)		99
10	Top Cool	S4 PARnel		 R80	(161)		100
11	HS SR Cool	S4 ZOOM (25-50)	575w	 R64	(120)		101
12	HS SR Warm	S4 ZOOM (25-50)	575w	 R16	(100)		102
13	Top Cool	S4 PARnel		 R80	(162)		67
14	Top Warm	S4 PARnel		 L108	(142)		68
15	HS SR Cool	S4 26	575w	 R64	(121)		69
16	HS SR Warm	S4 26	575w	 R16	(101)		70
17	HS SR Cool	S4 36	575w	 R64	(122)		71
18	HS SR Warm	S4 36	575w	 R16	(102)		72


3 ELECTRIC [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	HS SL Cool	S4 36	575w	 R63	(83)		145
2	HS SL Warm	S4 36	575w	 R04	(63)		146
3	HS SL Cool	S4 26	575w	 R63	(84)		147
4	HS SL Warm	S4 26	575w	 R04	(64)		148
5	HS SL Cool	S4 ZOOM (25-50)	575w	 R63	(85)		149
6	HS SL Warm	S4 ZOOM (25-50)	575w	 R04	(65)		150
7	HS SR Cool	S4 ZOOM (25-50)	575w	 R64	(123)		103
8	HS SR Warm	S4 ZOOM (25-50)	575w	 R16	(103)		104
9	HS SR Cool	S4 26	575w	 R64	(124)		105
10	HS SR Warm	S4 26	575w	 R16	(104)		106
11	HS SR Cool	S4 36	575w	 R64	(125)		107
12	HS SR Warm	S4 36	575w	 R16	(105)		108







4 ELECTRIC [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	Top Warm	S4 PARnel		 L108	(143)		91
2	Top Cool	S4 PARnel		 R80	(163)		92
3	Top Warm	S4 PARnel		 L108	(144)		93
4	Top Cool	S4 PARnel		 R80	(164)		94
5	Top Cool	S4 PARnel		 R80	(165)		95
6	Top Warm	S4 PARnel		 L108	(145)		96

















5 ELECTRIC [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	HS SL Cool	S4 36	575w	 R63	(86)		121
2	HS SL Warm	S4 36	575w	 R04	(66)		122
3	HS SL Cool	S4 26	575w	 R63	(87)		123
4	HS SL Warm	S4 26	575w	 R04	(67)		124
5	HS SL Cool	S4 ZOOM (25-50)	575w	 R63	(88)		125
6	HS SL Warm	S4 ZOOM (25-50)	575w	 R04	(68)		126
7	HS SR Cool	S4 ZOOM (25-50)	575w	 R64	(126)		127
8	HS SR Warm	S4 ZOOM (25-50)	575w	 R16	(106)		128
9	HS SR Cool	S4 26	575w	 R64	(127)		129
10	HS SR Warm	S4 26	575w	 R16	(107)		130
11	HS SR Cool	S4 36	575w	 R64	(128)		131
12	HS SR Warm	S4 36	575w	 R16	(108)		132

















6 ELECTRIC [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	Top/Back Warm	S4 JR. ZOOM	575w	 L108	(146)		151
2	Top/Back Cool	S4 JR. ZOOM	575w	 R80	(166)		152
3	Top/Back Warm	S4 JR. ZOOM	575w	 L108	(147)		153
4	Top/Back Cool	S4 JR. ZOOM	575w	 R80	(167)		154
5	Top/Back Cool	S4 JR. ZOOM	575w	 R80	(168)		155
6	Top/Back Warm	S4 JR. ZOOM	575w	 L108	(148)		156

7 ELECTRIC [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	CYC	R40 4 Cir 8' Strip	1.2kW	 R68	(311)		191
2	CYC	R40 4 Cir 8' Strip	1.2kW	 R321	(313)		260
3	CYC	R40 4 Cir 8' Strip	1.2kW	 R22	(314)		261
4	CYC	R40 4 Cir 8' Strip	1.2kW	 R67	(316)		264
5	CYC	R40 4 Cir 8' Strip	1.2kW	 R68	(311)		191
6	CYC	R40 4 Cir 8' Strip	1.2kW	 R321	(315)		262
7	CYC	R40 4 Cir 8' Strip	1.2kW	 R22	(314)		261
8	CYC	R40 4 Cir 8' Strip	1.2kW	 R67	(316)		264
9	CYC	R40 4 Cir 8' Strip	1.2kW	 R68	(312)		192
10	CYC	R40 4 Cir 8' Strip	1.2kW	 R321	(315)		262
11	CYC	R40 4 Cir 8' Strip	1.2kW	 R22	(314)		261
12	CYC	R40 4 Cir 8' Strip	1.2kW	 R67	(313)		260
13	CYC	R40 4 Cir 8' Strip	1.2kW	 R68	(312)		192
14	CYC	R40 4 Cir 8' Strip	1.2kW	 R321	(315)		262
15	CYC	R40 4 Cir 8' Strip	1.2kW	 R22	(314)		261
16	CYC	R40 4 Cir 8' Strip	1.2kW	 R67	(313)		260

GROUND ROW [T]

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	CYC	R40 4 Cir 8' Strip	1.2kW	 R67	(301)		20
2	CYC	R40 4 Cir 8' Strip	1.2kW	 R318	(303)		259
3	CYC	R40 4 Cir 8' Strip	1.2kW	 R21	(304)		258
4	CYC	R40 4 Cir 8' Strip	1.2kW	 R65	(305)		257
5	CYC	R40 4 Cir 8' Strip	1.2kW	 R67	(301)		20
6	CYC	R40 4 Cir 8' Strip	1.2kW	 R318	(303)		259
7	CYC	R40 4 Cir 8' Strip	1.2kW	 R21	(304)		258
8	CYC	R40 4 Cir 8' Strip	1.2kW	 R65	(305)		257
9	CYC	R40 4 Cir 8' Strip	1.2kW	 R67	(302)		19
10	CYC	R40 4 Cir 8' Strip	1.2kW	 R318	(303)		259
11	CYC	R40 4 Cir 8' Strip	1.2kW	 R21	(304)		258
12	CYC	R40 4 Cir 8' Strip	1.2kW	 R65	(305)		257
13	CYC	R40 4 Cir 8' Strip	1.2kW	 R67	(302)		19
14	CYC	R40 4 Cir 8' Strip	1.2kW	 R318	(303)		259
15	CYC	R40 4 Cir 8' Strip	1.2kW	 R21	(304)		258
16	CYC	R40 4 Cir 8' Strip	1.2kW	 R65	(305)		257

2-3 SL

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
4	Cool Stuff	VL1000 TS	1kW		(404)		112

2-3 CS

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
5	Cool Stuff	VL1000 TS	1kW		(405)		113

2-3 SR

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
6	Cool Stuff	VL1000 TS	1kW		(406)		114

1-2 SL

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
1	Cool Stuff	VL1000 TS	1kW		(401)		109

1-2 CS

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
2	Cool Stuff	VL1000 TS	1kW		(402)		110

1-2 SR

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
3	Cool Stuff	VL1000 TS	1kW		(403)		111

House

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
	House				(500)		278
	House				(500)		277
	House				(500)		276
	House				(500)		275
	House				(500)		274
	House				(500)		273
	House				(500)		272
	House				(500)		271
	House				(500)		270
	House				(500)		269
	House				(500)		268
	House				(500)		267
	House				(500)		266
	House				(500)		265
	House				(500)		264

Tube Lights

U#	Purpose	Instrument Type & Accessory	Watt	Color & Gobo	Chan	Adr	Dim
	House				(501)		281
	House				(501)		280